

# **Granular-Fluid Interactions Near the Seabed**

Daniel M. Hanes  
Department of Civil and Coastal Engineering  
University of Florida  
P.O. Box 116590  
Gainesville, FL 32611-6590  
Phone: (352) 392-9801; Fax: (352) 392-3394; Email: [hanes@ufl.edu](mailto:hanes@ufl.edu)

Award # N00014-91-J-1051 (Core); N00014-97-1-0622 (AASERT)

## **LONG-TERM GOAL**

Our long-term goal is to develop a model that will predict local sand transport and bathymetric change due to waves and currents under time-varying conditions.

## **OBJECTIVES**

Accomplishment of the long-term goal will require significant improvement of our understanding of the relationships between hydrodynamics and sediment motion near the seabed, as well as the development of models derived from our understanding of the relevant physical processes. This requires coupling between hydrodynamic forcing, bedform response and feedback, bedload sediment transport response, and the suspended sediment response.

## **APPROACH**

Model development is being pursued in combination with the analysis of observations obtained in the field and in large-scale laboratory facilities. Observations of bedforms, nearbed suspended sediment, and hydrodynamics provide a basis for the discovery of phenomena that will be incorporated into the development of models. We are focusing on the small-scale dynamics of turbulence and suspended sediment in the vicinity of bedforms, the coupling of bedload and suspended load, and a theory for bedload sediment transport based upon granular mechanics.

## **WORK COMPLETED**

We have analyzed the bedform dimensions from the Sandyduck97 and SISTEX99 data sets. The bedform observations from Sandyduck97 have been combined with previous observations and submitted for publication. An improved method of resolving short wave ripples from MTA data has been developed.


Four particular data runs from Sandyduck97 have been analyzed with respect to the distribution of suspended sediment over long wave ripples. The measured bedforms and hydrodynamics have been used as input to drive the Dune2d numerical model of the bottom boundary layer.

Three methods of estimating turbulence from ADV measurements have been applied to the data sets.


Pressure gradient and bed-slope terms have been added to the kinetic bedload model of Jenkins and Hanes (1998).

## RESULTS

The vertical distributions of suspended sediment concentration were investigated over low amplitude long wave ripples in four different data sets with comparable hydrodynamic conditions and with the sediment concentration measurements at relatively different cross-shore locations over the bedforms. The bedform and location of the suspended sediment concentration profiles (ABS) are shown in figure 1. The concentration profiles exhibit different temporal patterns that relate to their different locations over the bedforms, as shown in figure 2. In figure 2 the upper panels show the ensemble average of the cross-shore fluid velocity and the ensemble average of the depth integrated suspended sediment concentration. The lower panels show the ensemble average of the vertical distribution of suspended sediment as a function of the wave phase. The vertical and temporal structure of the concentration profiles indicates a phase lead at higher elevations, which is consistent with the horizontal advection of clouds of suspended sediment by the wave induced orbital fluid motion. By assuming the clouds of sediment are advected horizontally by the measured currents, the cloud is found to be located near the ripple trough at the time of flow reversal.



*Figure 1: Measured bedforms with location of ABS as indicated.*



**Figure 2: Ensemble averaged cross-shore velocity, vertically integrated suspended load, and vertical distribution of suspended sediment concentration, all as a function of ensemble averaged wave phase. Cases a, b, c, and d correspond to figure 1.**

## IMPACT/APPLICATION

The connections between small scale and large scale sedimentation processes are important in order to develop a comprehensive understanding of nearshore sedimentation processes, and an ability to model bathymetric change. Our research provides new information on small-scale processes that will allow these connections to be discovered and verified.

## TRANSITIONS

Our work on the small-scale dynamics of nearshore sediment transport will be applied in a related project (see below) to develop a general model for local sediment transport in the nearshore region.

## RELATED PROJECTS

- 1) As a part of a NICOP, we have deployed our littoral sedimentation processes measurement system in SISTEX99, in Summer, 1999. In this experiment we worked with Chris Vincent, Marjolein Dohmen-Janssen, and Steve McLean to investigate the small-scale dynamics of bedload and suspended sediment dynamics in a large wave tank. A separate annual report is being submitted for the NICOP.
- 2) We are working with the NOPP to develop a comprehensive numerical model for the nearshore region. Our main contribution is in the area of sediment transport modeling.
- 3) In a project funded by Sea Grant, we are studying the hydrodynamics of rip currents using a mobile data collection system designed around a personal watercraft.
- 4) In a project funded by NASA we are investigating the dynamics of wind blown sand in relation to desert dunes.

## PUBLICATIONS

- Doering, J.C., B. Elfrink, and D.M. Hanes, "Parameterization of velocity skewness under waves and its effect on cross-shore sediment transport", *27th International Conf. on Coastal Engineering, ASCE*, Sydney, Australia, July 16-21, 2000.
- Hanes, D.M. & Thosteson, E.D. Field Observations of Nearshore Bedforms and Suspended Sediment (in Russian), in The Shores of Seas, Natural, and Man-Made Lakes, A. Khabidov, A. Zhindarev, D.M. Hanes, et al., Co-editors, Siberian Branch of the Russian Academy of Sciences Publishers, Novosibirsk, 271 p. (in Russian), 1999, pp. 172-182.
- Hanes, D.M. and O.R. Walton, Simulations and physical measurements of glass spheres flowing down a bumpy incline, *Powder Technology*, Vol 109/1-3, 134:145, 2000.
- Hanes, D.M., V. Alymov, and C.D. Jette, Wave formed sand ripples at Duck, North Carolina, *Journal of Geophysical Research*, in review, 2000.
- Marusin, K.V. and Hanes, D.M. Suspended Sediment Concentration and Grain Size Measurement in the Field by Acoustic Sensors (in Russian), in The Shores of Seas, Natural, and Man-Made Lakes, A. Khabidov, A. Zhindarev, D.M. Hanes, et al., Co-editors, Siberian Branch of the Russian Academy of Sciences Publishers, Novosibirsk, 271 p. (in Russian), 1999, pp. 214-225.
- Ribberink, J.S., C.M. Dohmen-Janssen, D.M. Hanes, S.R. McLean, J.A. Taylor, and C. Vincent, "Near-bed sand transport mechanisms under waves: large-scale flume experiments", *27th International Conf. on Coastal Engineering, ASCE*, Sydney, Australia, July 16-21, 2000.
- Thorne, P.D. and D. M. Hanes, A review of acoustic methods for the study of small scale sediment transport processes, *Continental Shelf Research*, in review, 2000.