

SWIFT Observations in the Arctic Sea State DRI

Jim Thomson
1013 NE 40th St
Seattle WA 98105
phone: (206) 616-0858 fax: (206) 616-5467 email: jthomson@apl.uw.edu

Award Number: N00014-13-1-0284
http://www.apl.washington.edu/project/project.php?id=arctic_sea_state
FY13 report (year 1 of 5)

LONG-TERM GOALS

The long-term goal is to understand the role of waves and sea state in the Arctic Ocean, such that forecast models are improved and a robust climatology is defined.

OBJECTIVES

The objectives are to: develop a sea state climatology for the Arctic Ocean, improve wave forecasting in the presence of sea ice, improve theory of wave attenuation/scattering in the sea ice cover, apply wave–ice interactions directly in integrated arctic system models, and understand heat and mass fluxes in the air–sea–ice system.

APPROACH

The technical approach is to measure waves, winds, and turbulence in the Arctic Ocean using drifting SWIFT buoys [Thomson, 2012] and moored Acoustic Wave and Current (AWAC) sub-surface instruments. These measurements will be used to estimate the fluxes of momentum and heat between the air, sea, and ice. Results will be integrated with remote sensing products and wave models.

WORK COMPLETED

Work during this first year of the DRI has centered around writing a science plan that encompasses all elements of the program and details the collaborations across the various investigators. The science plan was published in September as a technical report [Thomson et al, 2013]. In addition to significant background material describing the state of the science and previous work, the document establishes the basics of a cruise plan for the 2015 field experiment. The associated UNOLS ship time request has been submitted, and work continues in defining all details of the cruise.

Also completed this year was the fabrication of two new SWIFT buoys that will be dedicated to the Sea State DRI. Several upgrades were made to the SWIFT design, including Iridium telemetry (now hourly), extended mission life (now three months), and improved wave sensor (combined IMU and GPS). A new SWIFT is shown in Figure 1.

	Hull	Anodized aluminum
	Power	14 VDC, Alkaline or Lithium D cell packs
	Weight	30 kg in air
	Dimensions	1.25 m draft, 1.0 m mast, 0.35 m diameter
	Shipping crate	1.65 m length, 0.5 m width, 0.5 m depth
	Endurance	20 days (Alkaline), 60 days (Lithium)
	Tracking (RF)	Garmin Astro DC40 collars (10 km range)
	Tracking (Iridium)	Geoforce GT1 (global)
	Telemetry	Iridium SBD
	Processor	Sutron Xpert
	Profiler	2 MHz Nortek Aquadopp HR
	Met	Airmar PB200
	IMU	Microstrain 3DM-GX3-35
	CT	Onset HOBO U24
	Camera	serial uCAM
	Light	Yellow 1s flasher

Figure 1. Newly build SWIFT buoy and specifications.

RESULTS

The result of the first year of the DRI is the integrated Science Plan and the fabrication of new SWIFT buoys.

IMPACT/APPLICATIONS

Improved sea state predictions in the Arctic Ocean will enable safe naval operations in the region.

RELATED PROJECTS

A contract with Scitor Corp. is supporting a graduate student to analyze declassified satellite images for wave information in the Beaufort region.

Resources are data are shared with the “Marginal Ice Zone” DRI. More information is at <http://www.apl.washington.edu/project/project.php?id=miz>

PUBLICATIONS

Thomson et al, “Science Plan for the Sea State and Boundary Layer Physics of the Emerging Arctic Ocean DRI,” *APLUW Technical Report 1306*, 2013. [published]

Thomson, J. “Observations of wave breaking dissipation with SWIFT drifters,” *J. Atmos. and Ocean. Tech.*, 2012. [published, refereed].